




VR 55 SİSTEM PROFİLLERİ

VR 55 SYSTEM
PROFILES




VR
VIALO ROKSA
VR

MİMARİ SİSTEMLER




4300 | Ağırlık - Weight
0,950 Kg/Mt

Statik J_x (cm⁴): 16,70
Static J_y (cm⁴): 8,43




4301 | Ağırlık - Weight
1,196 Kg/Mt

Statik J_x (cm⁴): 30,91
Static J_y (cm⁴): 11,26



4302 | Ağırlık - Weight
1,152 Kg/Mt


Statik J_x (cm⁴): 18,00
Static J_y (cm⁴): 16,35



VR 55 SİSTEM PROFİLLERİ
VR 55 SYSTEM PROFILES


VR
VIALO ROKSA

MİMARİ SİSTEMLER




4303 **Ağırlık - Weight**
1,460Kg/Mt

Statik Jx (cm⁴): 21,26
Statik Jy (cm⁴): 46,74





4304 **Ağırlık - Weight**
1,441Kg/Mt

Statik Jx (cm⁴): 58,16
Statik Jy (cm⁴): 27,57




4305 **Ağırlık - Weight**
1,044Kg/Mt

Statik Jx (cm⁴): 15,76
Statik Jy (cm⁴): 7,53




4306 | **Ağırlık - Weight**
0,418 Kg/Mt

Statik Jx (cm⁴): 6,30
Static Jy (cm⁴): 0,63




4307 | **Ağırlık - Weight**
0,875 Kg/Mt

Statik Jx (cm⁴): 18,95
Static Jy (cm⁴): 18,95




4308 | **Ağırlık - Weight**
0,321 Kg/Mt




4309 | **Ağırlık - Weight**
0,303 Kg/Mt

(6 mm)




4310 | **Ağırlık - Weight**
0,283 Kg/Mt

(10 mm)




4311 | **Ağırlık - Weight**
0,251 Kg/Mt

(20 mm)



4312 | **Ağırlık - Weight**
0,237 Kg/Mt


(24 mm)




VR 55 SİSTEM PROFİLLERİ
VR 55 SYSTEM PROFILES

VR
VIALO ROKSA




MİMARİ SİSTEMLER




4313 | Ağırlık - Weight
0,953 Kg/Mt



4314 | Ağırlık - Weight
1,115 Kg/Mt











VR 55 SİSTEM PROFİLLERİ
VR 55 SYSTEM PROFILES

VR
VIALO ROKSA

MİMARİ SİSTEMLER



KÖŞE GÖNYESİ
CORNER ALIGNMENT



AKUSTİK KOL
ACOUSTIC HANDLE

İSPANYOLET
MEKANİZMASI

MULTI POINT
LOCKING

ÖLÇÜLER

400-600/15

600-800/15

800-1000/15

1000-1200/15






1200-1400/15


1400-1600/15

1600-1800/15




1800-2000/15




2000-2600/15








VR 55 SİSTEM PROFİLLERİ
VR 55 SYSTEM PROFILES












VR 55 SİSTEM PROFİLLERİ
VR 55 SYSTEM PROFILES







VR 55 SİSTEM PROFİLLERİ
VR 55 SYSTEM PROFILES

